

Incident Response Guide

Protecting Our Responders
Dermal | Face and Eye | Hand | Respiratory

 **fisher scientific**
part of Thermo Fisher Scientific

One Test, Multiple Substances



Thermo Scientific TruNarc Handheld Narcotics Analyzer

As law enforcement officers operating in the field, you need rapid analysis of suspected illicit drugs. The Thermo Scientific™ TruNarc™ analyzer accurately identifies hundreds of substances, including fentanyl, furanyl fentanyl, W-18, U-47700 and dibutylone. Library updates enable ID of the latest threats, improving intelligence and protecting the community.

Cat. Nos.: 17-730-100, 17-730-102


Contact your Fisher Scientific safety specialist to order.

 **fisher scientific**
part of Thermo Fisher Scientific



When first responders find themselves in emergency situations or disasters, give them the right protection to prevent serious injury or death. We have personal protective equipment that is not only NIOSH-approved, but also compliant to NFPA standards — ensuring you meet OSHA and EPA requirements while keeping your emergency first responders safe.

Protecting Our Responders | Dermal | Face and Eye | Hand | Respiratory





Dermal | Protection

Ansell™ Neoprene Sleeves

Rugged neoprene protects against most chemical splashes.

- Elastic cuffs at both ends
- Length: 18 in.
- Yellow

Cat. No.: 19-053-730



Chemical Splash
Protection

DuPont™ Tychem™ QC 2000 Sleeves

Tychem 2000 Sleeves provide at least 30 minutes of protection against 42 chemical challenges.

- Bound Seams
- Elastic cuffs at both ends
- Length: 18 in.
- Yellow

Cat. No.: 19-059-300



Lightweight
and Durable

DuPont™ Tychem™ TK Class 2, Level A Suits

For potential exposure to immediate and unidentified chemical/biological substances.

- Double-taped seams
- Gastight zipper, double storm flaps
- Attached gloves and socks
- Lime yellow

NFPA 1994 Class 2

Cat. Nos.: 19-130-0001,
19-130-0002, 19-130-0004



For Chemical and
Biological Protection

DuPont™ Tychem™ QC 127T Coveralls

Tychem™ 2000 Coveralls provide at least 30 minutes of protection against 42 chemical challenges.

- Taped seams
- Zipper front, storm flap
- Attached hood
- Elastic wrists and ankles
- Yellow

Meets ASTM specifications

Cat. Nos.: 19-088-1176, 19-088-1244A,
19-088-1244B, 19-088-1244C



Light Liquid Splash
Protection

DuPont™ Tychem™ 6000 Coveralls

Use for potential exposure to industrial chemicals or chemical warfare agents.

- Hooded and unhooded versions
- Elastic ankle or attached sock option
- Choose elastic wrists or attached butyl gloves
- Multiple styles and features in sizes to 5X-Large

NFPA 1994 Class 2

Cat. Nos.: 18-888-778 to 18-888-910



Broad Chemical
Barrier

DuPont™ Tychem™ F Coveralls

For WMD or potential exposures to chemical agents.

- Taped seams
- Attached hood
- Front zipper, storm flap
- Elastic back and wrists
- Gray

Meets ASTM specifications

Cat. Nos.: 19-130-0330, 19-130-0331,
19-130-0332, 19-130-0333, 19-130-0334



Broad Chemical
Barrier



Face and Eye | Protection

Honeywell™ Uvex™ Stealth™ Chemical-Splash Goggles

Low-profile design with ventilation for comfortable splash protection.

- Wear with respirators, hardhats, or welding helmets
- Neoprene™ headband

Meets current ASTM Z87.1 standards

Cat. Nos.: 17-377-403, 18-999-2315



Replaceable Lens

Kimberly-Clark™ Professional Jackson Safety™ V80 Revolution™ OTG Goggles

Protects against splash, dust, and impact.

- Fits over prescription eyeglasses (prescription inserts sold separately)
- Clear lens; blue frames

Meets current ASTM Z87.1 standards

Cat. No.: 19-130-0480



Superior Style,
Comfort, and Fit

Kimberly-Clark™ Professional Jackson Safety™ V80 SG34 Chemical-Splash Goggles

Protect against chemical splashes.

- Clear, polycarbonate lens
- Green frame

Meets current ASTM Z87.1 standards

Cat. No.: 17-986-83R



Economical
Protection

Honeywell™ Uvex™ Classic™ Chemical-Splash Goggles

Protects eyes from harmful UV rays.

- Clear anti-fog, anti-static, scratch-resistant lens
- Fits over prescription eyeglasses
- Wide neoprene strap

Meets current ASTM Z87.1 standards

Cat. No.: 17-253



Integrated Ventilation
System

Kimberly-Clark™ Professional Jackson Safety™ V90 Monogoggle™ XTR™ Shield

Polycarbonate faceshield with goggles.

- MonoGoggle XTR with full-face protection
- Shield detaches from goggle
- Blue frame with Visiclear Clear lens

Meets current ASTM Z87.1 standards

Cat. No.: 19-706-028



Full Face Protection

Honeywell™ North™ Protecto-Shield Faceshields

Ratchet headband with tension knob for easy adjustment and positioning.


- Brim overhand for reduced splashing
- Sturdy browguard
- Polycarbonate or propionate visors (sold separately)

Meets current ASTM Z87.1 standard and NFPA 1994 approved

Cat. Nos.: 18-999-4459, 18-999-2990, 18-999-2991



Fits Hat Sizes 6.5 to 8



Hand Protection

Ansell™ Sol-Vex™ Nitrile Gloves

For chemical handling; will not weaken or swell in most solvents and caustics.

- Unlined
- Embossed; 15mil thick
- Hand specific
- Dark green

ANSI 4 (Abrasion Resistance); ASTM D 3389, 21 CFR 177-2600, FDA

Cat. Nos.: 11-391-137A, 11-391-137B, 11-391-137C, 11-391-137D



Resistant to Chemicals

Kimberly-Clark™ Professional Purple Nitrile-XTRA™ Exam Gloves

Ambidextrous with textured fingertips for better grip.

- Beaded cuff
- Powder and odor free
- Length: 12 in.; 5.9mil thick

NFPA approved

Cat. Nos.: 19-149-864, 19-149-864A, 19-149-864B, 19-149-864C, 19-149-864D



Static Dissipative

Honeywell™ North™ Butyl Gloves

Suitable for chemical handling and hazmat work.

- Synthetic butyl rubber
- Rolled cuffs; rough surface finish
- Hand specific, unlined
- Length: 11 in.
- Black

ANSI/ISEA, ASTM, EN, 29 CFR

Cat. Nos.: 19-025-585, 19-025-586, 19-025-587, 19-025-589, 19-822-611



High Permeation Resistance

Microflex™ FreeForm™ EC Powder-Free Nitrile Exam Gloves

Micro-textured fingertips for a secure grip.

- Extended, beaded cuff
- Powder free, nonsterile
- Ambidextrous
- Length: 11.4 in.
- Blue

NFPA approved

Cat. Nos.: 19-120-3009C, 19-120-3009A, 19-120-3009B, 19-120-3009D, 19-120-3009E



Conform to Your Hands

Kimberly-Clark™ Professional Sterling™ Nitrile Exam Gloves

Tactile sensitivity with static dissipative properties.

- Powder-free, nonsterile
- Beaded cuff, textured fingertips
- Ambidextrous
- Length: 12 in.
- Silver

510K approved for medical use; ASTM D 6319, FDA, AQL 1.5

Cat. Nos.: 19-050-590, 19-050-591, 19-050-592, 19-050-593, 19-050-595



Barrier Protection with Comfort

Microflex™ High Five™ Blaze™ Nitrile Gloves

Ambidextrous, powder-free, and nonsterile disposable exam gloves.

- Textured fingertips
- Length: 10.5 in.
- Orange

NFPA approved

Cat. Nos.: 19-156-104, 19-156-105, 19-156-106, 19-156-107, 19-156-108



High Visibility

Respiratory | Protection

Avon Protection™ FM53™ Twin Filter Port Masks for Air-Purifying Respirators

For special response teams, EOD operators, and civil support teams.

- Integrates with NFPA Class 2 and 3 suits
- Cartridges and filters sold separately

*NIOSH approved**
**FM53 mask is currently NIOSH certified in negative pressure mode ONLY.*

Cat. Nos.: 18-000-102, 18-000-100, 18-000-101, 18-000-103



A Multiple Mission Mask

Avon Protection™ CBRN Filters

For use with particulates, odors, and Riot, CBRN, NBC, and ABEK agents.

- Convertible style
- 40mm thread mount
- 5.5 year shelf life

NIOSH approved

Cat. Nos.: 18-000-130



Cap 1 Filter

Avon Protection™ C50™ Twin Filter Port Masks

Use for chemical, biological, nuclear, and radiological (CBRN) agents.

- Silicone and rubber
- Panoramic lens
- 40mm thread mounts
- Cartridges and filters sold separately

NIOSH approved

Cat. Nos.: 18-000-108, 18-000-109, 18-000-110



Protection and Comfort

MSA™ Advantage™ 4000 Twin-Port Facepieces

Bayonet mount adapters on right and left sides.

- Standard nose cup
- Silicone, rubber harness
- Cartridges and filters sold separately

NIOSH approved

Cat. Nos.: 17-200-087, 18-139-431



Twin Cartridge Adapters

Avon Protection™ CTCF50 Riot Control Filters

Low-profile, high-efficiency combination filter.

- For aerosols, particulates, smoke, fumes, and vapors
- Use for tear gases
- 40mm thread mount

NIOSH approved

Cat. No.: 18-000-127



Riot Control, Hazard Protection

MSA™ Advantage™ Cartridges

For particulates and organic vapors (Cl, SO₂, ClO₂, HCl, HSO₂, HF, Ammonia, Methylamine, and Formaldehyde).

- Olive/magenta
- Bayonet mount

NIOSH approved, OSHA 42CFR, Part 84

Cat. No.: 19-003-230



Bayonet-Style Mounting

MSA™
Flexi-Filter™ Pads
for Advantage™
Respirators

For particulate aerosols and nuisance odors.

- Works with tight-fitting headgear
- Easy installation and removal
- Spark-resistant cover

EN 143, NIOSH

Cat. No.: 19-039-693



Low-Profile
 Particulate Filters

Scott Safety™
Air-Pak™ X3 SCBA

Improved comfort, hose and wire management, weight distribution, fire ground communications, and serviceability.

- “External” HUD
- Vibrating alarm

1981, 2007, 2013 NFPA

Cat. Nos.: 15-499-132, 15-499-137,
 15-499-138



New Enhancements

MSA™
Advantage™ 3200
Twin-Port Respirators

Lower breathing resistance than full-facepiece respirators.

- Wraparound lens
- Bayonet mount
- Three sizes (S, M, L)
- Cartridges and filters sold separately

NIOSH approved under 42CFR84; facepiece lens exceeds ANSI Z87.1 requirements

Cat. Nos.: 19-041-906A, 19-041-906B,
 19-041-906C



Silicone Facemask,
 Rubber Harness

Scott Safety™
P100/HE Cartridge with
40mm Connection

Reliable respirator for P100 protection from particulates and aerosols.

- 40mm threads
- Black

NIOSH approved

Cat. No.: 19-120-2850



High-Efficiency
 Particulate Filter

MSA™
Millennium™
CBRN Gas Mask

High-performance gas mask for law enforcement or emergency response personnel.

- Dual-thread mounts
- Hycar™ rubber harness
- Wraparound lens

NIOSH approved

Cat. Nos.: 19-130-0458, 19-130-0459,
 19-130-0460



Compatible with
 Visored Police Helmets

Scott Safety™
Enforcement Cartridge

Offered for domestic preparedness/counterterrorism applications, various chemical warfare agents, and tear gas.

- 40mm thread connection
- Black

NIOSH TC-84A-3944; meets or exceeds the C2A1 performance requirements for DMMP, Sarin (GB), and cyanogen chloride (CK)

Cat. No.: 19-121-677



Protection Against
 Biological Agents

MSA™
Advantage™ 420
Half-Mask Respirator
Assembly

Molded multi-ethnic silicone facepiece with harness that protects head when respirator is removed.

- Latex free
- Cartridges and filters sold separately

NIOSH approved under 42CFR84 when used with appropriate cartridges and filters

Cat. Nos.: 19-825-000, 19-825-001,
 19-825-002



For Bayonet or
 Threaded Cartridges

Scott Safety™
CBRN Cap-1 Canister

Efficient filtration of aerosols and solid particulates for protection against chemical, biological, radiological, and nuclear hazards (CBRN).

NIOSH approved; meets or exceeds the C2A1 performance requirements for DMMP, Sarin (GB), and cyanogen chloride (CK).

Cat. No.: 19-150-0863



For Multiple
 Hazard Types

Scott Safety™
AV-3000™ Facepieces

Enhanced for better fit and vision, added comfort, and communications.

- Use with APRs, PAPRs, SARs, and SCBAs
- Polyisoprene face seal
- Latex-free harness

NIOSH, ANSI Z87.1-2003, NFPA 1981:2007

Cat. Nos.: 19-168-373, 19-168-374, 19-168-375



Kevlar™ Harness

Scott Safety™
AV-3000™ Facepieces

Enhanced for better fit and vision, added comfort, and communications.

- Use with APRs, PAPRs, SARs, and SCBAs
- Polyisoprene face seal
- Rubber harness

NIOSH, ANSI Z87.1-2003, NFPA 1981:2007

Cat. Nos.: 19-827-909, 19-827-910, 19-827-911



Rubber Harness

Scott Safety™
C420 CBRN PAPR Replacement Parts

Includes blower, LiSO₂ battery, Decon™ belt, and 36 in. CBRN AV- PAPR hose.

NIOSH approved

Cat. No.: 19-500-641



Blower and PAPR Kit

3M™
6000 Series Half Face Mask Respirators

Reusable, lightweight, economical, low-maintenance, and simple to handle.

- Bayonet mount
- Small, medium, or large
- Cartridges and filters sold separately

NIOSH approved

Cat. Nos.: 17-986-9A, 17-986-9B, 17-986-9C



Effective Protection

Scott Safety™
MPC Plus Cartridge

For aerosol particulates, acid gases, base gases, aldehydes, and organic vapors.

- 40mm thread connection
- Use with adapter for other facepieces
- Black

Meets or exceeds the C2A1 performance requirements for DMMP, Sarin (GB), and cyanogen chloride (CK)

Cat. No.: 19-700-879



For Particulates and Gases

3M™
2000 Series P100 Filters

Protection against oil and non-oil particulates, including lead, asbestos, cadmium, arsenic, and MDA.

- Bayonet style
- Magenta

NIOSH approved

Cat. No.: 18-999-2573



For Oil and Non-Oil Applications

Scott Safety™
Air-Pak™ X3 SCBA

Improved comfort, hose and wire management, weight distribution, fire ground communications, and serviceability.

- "External" HUD
- Vibrating alarm

NFPA 1981:2007

Cat. Nos.: 19-823-850, 19-823-854



New Enhancements

3M™
P100 Particulate Filter Cartridges

Encased filter design for use in high heat or wet environments, this P100 filter can be used for oil or non-oil aerosols.

- Bayonet mount
- Magenta

NIOSH approved

Cat. No.: 18-999-2574



Hard, Spring-Loaded Case

3M™
6000 Series Full
Facepiece Respirators

Lightweight with silicone face seal for comfort, durability, and easy cleaning.

- Bayonet mount
- Four-point harness
- Sizes: Small, medium or large

NIOSH approved; Lens meets ANSI Z87.1

Cat. Nos.: 18-999-4555, 18-999-4556, 18-999-4557



Reusable

3M™
7503 Half Face Mask
Respirators

Protect against gases, vapors, and particulates.

- Bayonet mount
- Ventilated silicone mask ventilation
- Dual-mode harness
- Color-coded, multiple sizes

NIOSH approved

Cat. Nos.: 19-096-898, 19-096-899, 19-096-900



Reusable with
Twin Ports

3M™
6000 Series Combination
Cartridge/P100 Filters

For organic vapors, acid gases, ammonia, methylamine, formaldehyde, and particulates.

- For oil and non-oil aerosols
- Bayonet mount
- Olive/magenta

NIOSH approved

Cat. No.: 18-999-4567



Multi-Gas Vapor
Cartridge/Filter

3M™
Ultimate FX Full
Facepiece Respirators

Rugged reusable facepiece for extreme environments.

- Large Scotchgard™ coated lens
- Permanent gaskets
- Bayonet mount
- Silicone face seal and nose cup

NIOSH approved

Cat. Nos.: 19-177-855, 19-177-856, 19-177-857



For Tight Work
Environments

3M™
Comfort Plus Disposable
Filtering Facepiece
Respirators

For contaminants (excluding asbestos) including lead, MDA, arsenic, and cadmium.

- For oil and non-oil particulates
- Flame resistant
- White

NIOSH approved

Cat. Nos.: 19-002-711, 19-037-352



P100 for Particulates

3M™
Versaflo™ TR-600-ECK
Easy Clean PAPR Kit

Complete PAPR kit: hood assembly, PAPR assembly, particulates filter, filter cover, battery charger, and disposable breathing tube cover.

NIOSH approved

Cat. No.: 19-268-006



Disposable Hood

3M™
HE Filter for Versaflo™
TR-300 PAPR

High-efficiency particulate filter for Versaflo TR-300 Series Powered Air Purifying Respirators.

- Belt mounted
- P100
- Gray/magenta

NIOSH approved

Cat. Nos.: 19-039-579, 19-039-580



Easy to Install

3M™
Versaflo™ PAPR System
Cartridges

Use with belt-mounted Versaflo PAPRs. Choose cartridges for:

- Particulates only
- HE particulate/organic vapor/HEPA
- HE particulate/HEPA and nuisance organic vapor/acid gas

NIOSH approved

Cat. Nos.: 19-268-007, 19-268-009, 19-268-010



For Versaflo
TR-600 PAPRs

3M™ Versaflo™ PAPR System P100 Cartridges

P100 particulate filters for Versaflo PAPRs.

- Belt mounted
- Magenta

NIOSH approved

Cat. No.: 19-268-008



For Versaflo
TR-300 PAPRs

3M™ Versaflo™ S-Series Hoods

Low-linting laminated material can tolerate frequent replacement of the entire headtop assembly.

- Integrated head suspension
- No assembly required

EN166

Cat. No.: 19-805-614



Covers Head, Face,
Neck, and Shoulders

Safety Certifications and Standards

American National Standards Institute (ANSI)

Serves as administrator and coordinator of the private sector voluntary standardization system in the United States and is engaged in accreditation and the creation and use of various industry norms and guidelines.

- ANSI Z87.1: Eye and Face Protection
- ANSI 4: Standards for (Glove) Cut Resistance
- ANSI/ISEA 105-2016: Hand Protection Classification

ASTM International (formerly the American Society of Testing and Materials)

Services include voluntary consensus standards, certification and declaration (via the Safety Equipment Institute), technical training programs and proficiency testing.

- ASTM D3389-05: Coated Fabrics Abrasion
- ASTM D6978-05: Resistance of Medical Gloves to Permeation by Chemotherapy Drugs
- ASTM F1671: Resistance of Protective Clothing to Blood-Borne Pathogen Penetration
- ASTM F1790-97: Cut Resistance of Materials Used in Protective Clothing
- ASTM D2859-96: Ignition Characteristics of Finished Textile Floor Covering Materials

International Safety Equipment Association (ISEA)

An ANSI accredited standards developing organization that promotes the standardization of safety equipment.

- ANSI/ISEA 105-2016: Hand Protection Classification

National Fire Protection Association (NFPA)

A U.S. trade association (with international members) that creates and maintains private, copyrighted fire protection standards and codes.

- NFPA 1999: Standard on Protective Clothing and Ensembles for Emergency Medical Operations
- NFPA 1981: Standard on Open-Circuit Self-Contained Breathing Apparatus (SCBA) for Emergency Services
- NFPA 1992: Standard on Liquid Splash-Protective Ensembles and Clothing for Hazardous Materials Emergencies
- NFPA 1994: Standard on Protective Ensembles for First Responders to Hazardous Materials Emergencies and CBRN Terrorism Incidents

National Institute for Occupational Safety and Health (NIOSH)

The U.S. federal agency responsible for conducting research and making recommendations for the prevention of work-related injury and illness, NIOSH is part of the Centers for Disease Control and Prevention (CDC).

- 42CFR Part 84: Performance criteria for negative pressure particulate air-purifying respirators and prefilters
- NIOSH Approved; 84, EAS NZS 1716
- NIOSH TC-84A-2561

Occupational Safety and Health Administration (OSHA)

An agency of the U.S. Department of Labor established to "assure safe and healthful working conditions for working men and women by setting and enforcing standards and by providing training, outreach, education and assistance".


Safety Support Products

Associated Bag Co.™ Hazardous Materials LDPE Waste Bags

Bold color and printed biohazard warning label identifies hazardous or contaminated contents.

- Dimensions: 38 x 60 in.
- Yellow
- 50/Case

Cat. No.: 19-821-939




Safe for Landfill
or Incineration

Ampac™ Flexibles KeepSafe™ Clear Tamper-Evident Evidence Bags

Pre-printed, sequentially numbered bags support chain-of-custody procedures.

- LDPE
- Multiple sizes (8 x 10, 10 x 13, and 12 x 16 in.)
- 500/Case

Cat. Nos.: 01-813-021, 01-813-022,
01-813-023




Tear-Off Receipts

Brady™ Hazardous Disposal Bags

With hazardous labeling. Minimum order is 250 bags.

- Dimensions: 26 x 31 in.
- Capacity: 17 to 20 gal.
- Yellow

Cat. No.: 19-103-126



Replacements
for Spill Kits

Kappler™ Chem-Tape™ Chemical- Resistant Adhesive Tapes

Durable, single-use tape secures pieces of protective apparel to prevent liquid entry.

- MIL-STD 282 and ASTM™ F739 tested
- 2 in. x 60 yd./roll
- Yellow

Cat. Nos.: 19-036-34, 19-036-349



Seal Gaps in
Protective Apparel

Brady™ DOT Vehicle Placard

Polycoated signs identify vehicles carrying dangerous materials.

- Diamond shape
- 0.75 x 10.75 in.
- White background with black ink

Cat. No.: 19-111-159



Comply with
Regulation

Brady™ Barricade Tapes: CAUTION

Nonadhesive, lightweight tape for temporary outdoor or permanent indoor applications.

- Polyethylene
- 3 in. x 200 ft./roll
- Black/yellow

Cat. No.: 19-017-466

CAUTION

For On-the-Spot
Warnings

Brady™
Barricade Tapes:
DO NOT ENTER

Non-adhesive, lightweight tape for temporary outdoor or permanent indoor applications.

- Polyethylene
- 3 in. x 200 ft./roll
- Black/yellow

Cat. No.: 19-000-650



To Restrict Entry

Therapak™
Tamper-Evident Security
Seals for Drugs of Abuse
Testing

Easily identify tampering with seals for single or split specimens.

- Red
- 500/Pack

NIOSH approved

Cat. No.: 22-131-560



For Chain-of-Custody Samples

Eagle™
Spill Containment Drums

Choose from a range of drum types and capacities for storage, transportation, and more.

- Weather- and chemical-resistant HDPE
- Yellow

NIOSH approved

Cat. Nos.: 18-999-4472, 19-039-668, 19-120-707



For Packing Groups I, II, and III

Justrite™
QuickBerm™ Plus Rigid-Lock
Spill Containment Systems

Heavy-duty system withstands weight of vehicles, 40 mph winds, and extreme temperatures.

- Modified PVC-coated fabric
- Capacity: 595 gal. (2253L)
- Black

NIOSH approved

Cat. No.: 19-111-042



For Long-Term Spill Containment

RMC™
Medical Decon Pools

A portable containment basin for collecting the runoff from decontamination showers.

- Includes 12mil attached polyethylene liner
- Dimensions (open): 60 x 60 x 12 in.; folds to 60 x 21 x 3 in.
- 2/Case

NIOSH approved

Cat. No.: 17-987-103A



Lightweight and Disposable

Highcom Security™
Protective Vests
and Helmets

NIJ 0101.06 certified hard armor and NIJ 2005 Interim compliant body armor to meet your needs.

Contact us at 1-800-226-4732 for help with configuration and orders.



Certified Personal Protection

Mystaire™
Isola Vue Workstations

Ductless fume hoods protect handlers of hazardous materials.

- Available in 48 or 72 in. widths
- Filters sold separately

Cat. Nos.: 15-338-901, 15-338-902




Clear Sides for 360° Visibility

Mystaire™
Isola Replacement Filters

Choose pre-filters, carbon filters, HEPA filters, or safety filters.

- Electrostatically charged fiber pre-filters remove submicron particulates
- Activated carbon filters offer high absorbency
- Dual-Purpose safety filters incorporate both gas and mechanical phase filtration

Cat. Nos.: 15-338-951, 15-338-952, 15-338-953, 15-338-438, 15-338-955



Easy to Replace

**Zoll™
Medical AED Plus™
Defibrillator Packages**

Guides rescuers through the complete Chain of Survival to help all sudden cardiac arrest victims, not just those who need a shock.

- One-piece adult electrode pad
- Intelligent pediatric capability
- Uses readily available lithium camera batteries



Cat. No.: 17-478-002

Defibrillation and CPR Assistance

**Brand™
Vehicle Spill Kit**

Includes twenty 15 x 19 in. oil only pads, ten 15 x 19 in. universal pads, three 3 x 42 in. socks, one putty, one set of nine wood plugs, two disposable bags, one pair of goggles, and one pair nitrile gloves.



Cat. No.: 19-140-859

Compact for Easy Storage

**Medique™
Vehicle Kits**

Packed with first aid products to assist with accidents.

- Crush, water, and dust resistant
- Gasket keeps contents dry
- Can be mounted in vehicle or transported between vehicles



Cat. Nos.: 19-090-678 (standard kit), 19-090-676 (large vehicle kit)

Mobile First Aid

**Honeywell™
North™ Bloodborne
Pathogen Response Kits**

Includes 2 oz. absorbent, absorbent towel, antiseptic wipe, two 24 x 24 in. biohazard bags, germicidal surface wipe, gown, medical gloves, scraper, shovel, surgical mask, and shield.



Cat. No.: 19-130-2507

Fast, Effective Cleanup

**3M™
Ballistic Full Cut Helmet**

Among the lightest on the market, these helmets feature an integrated visor and flared sides to accommodate gas masks, goggles, and communications gear.

- Universal fit
- EAR-controlled product
- Available with standard or comfort-fit retention system



Meets or exceeds NIJ Level IIIA ballistic standard.

Contact your Fisher Scientific safety specialist to order.

Optimal Safety, Less Weight

**3M™
Combat High Cut
Ballistic Helmet**

Provides unobstructed views and better hearing capabilities; configurable with optional accessories.

- EAR-controlled product
- Ergonomic shock-attenuating pads
- Thermally sealed moisture-proof inner liner



Meets or exceeds NIJ Level IIIA ballistic standard and meets minimum of 650mps V-50 for 17 grain, tested according to STANAG 2920.

Cat. No.: 17-000-647

High Protection, Clear Vision

**Labconco™
Telescoping Base Stands**

For use with Protector™ XVS ventilation station. Choose between 36 and 48 in. widths.

- ADA Compliant
- Fixed leveling feet
- Height adjusts from 27.5 to 34.5 in.



Cat. Nos.: 16-101-002 (36 in. width), 16-101-003 (48 in. width)

Supports Up to 1,000 lb.

**Labconco™
XPer™ Filtered Balance
Systems**

Protect workers from potent powders frequently found in pharmaceutical, dry chemical, and industrial hygiene applications.

- No outside ducting required
- Choose between 33.6 or 45.6 in. interior widths
- Sash opening: 9.4 in.



Cat. Nos.: 10-304-90 (33.6 in. interior width), 10-304-94 (45.6 in. interior width)

With Guardian™ Airflow Monitor



Work Smarter with SafetySkills

World-Class Safety Training

Give your employees comprehensive municipal, active shooter, and law enforcement training plus much more with SafetySkills™ training courses. The online, on-demand courses can be customized for every budget, allowing you to create a training program uniquely tailored to your needs.

Visit fishersci.com/safetyskills
or contact your Fisher Scientific sales
representative to learn more.



Incident Response Guide

In the United States:

For customer service, call 1-800-766-7000

To fax an order, use 1-800-926-1166

To order online: fishersci.com

© 2018 Thermo Fisher Scientific Inc. All rights reserved.

Trademarks used are owned as indicated at fishersci.com/trademarks.

18-0754 JA 07/18 BN20172726

